# 2004 Author Index


Allen S (see Groeneveld et al). 2004;31:108-122
Anderson M (see Groeneveld et al). 2004;31:108-122

Beitz J (see Gray et al). 2004;31:53-61 (Evidence-Based Report Card)
Beitz JM. Diverticulosis and diverticulitis: Spectrum of a modern malady. 2004;31:75-84
Berwiczonek H (see Sinclair et al). 2004;31:43-50 (Professional Practice)
Bliss DZ (see Gray et al). 2004;31:53-61 (Evidence-Based Report Card)
Bolton L, McNees P, van Rijswijk L, de Leon J, Lyder C, Kobza L, Edman K, Scheurich A, Shannon R, Toth M. Wound Outcomes Study Group. Wound-healing outcomes using standardized assessment and care in clinical practice. 2004;31:65-71
Bookout K (see McLane et al). 2004;31:168-178
Bookout K, McCord S, McLane K, Montagnino B. Can you believe it? 2004;31:155-156 (Guest Editorial)
Bookout K, McCord S, McLane K. Case studies of an infant, a toddler, and an adolescent treated with a negative pressure wound treatment system. 2004;31:184-192
Borkowski S. Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair. 2004;31:150-153. (Commentary)
Borkowski S. Similar gastronomy peristomal skin irritations in three pediatric patients. 2004;31:201-206
Brady-Fryer B (see Mercy and Brady-Fryer). 2004;31:293-298
Bressmer S (see Groeneveld et al). 2004;31:108-122
Brooks R. (see Clarke-O'Neill et al). 2004;31:32-42
Bulloch G (see Sinclair et al). 2004;31:43-50 (Professional Practice)
Butler S (see Sinclair et al). 2004;31:43-50 (Professional Practice)

Cantanzaro J (see Gray and Cantanzaro). 2004;31:249-255 (Evidence-Based Report Card)
Carlson SL (see McClees et al). 2004;31:123-129
Clarke-O'Neill S (see Mccaulay et al). 2004;31:357-366
Clarke-O'Neill S, Pettersson L, Fader M, Cottenden A, Brooks R. A multicenter comparative evaluation: disposable pads for women with light incontinence. 2004;31:32-42
Colwell J (see Gray et al). 2004;31:53-61 (Evidence-Based Report Card)
Cottenden A (see Clarke-O'Neill et al). 2004;31:32-42
Cottenden A (see Macaulay et al). 2004;31:235-244
Cottenden A (see Mccaulay et al). 2004;31:357-366
Crawley-Coha T. A practical guide for the management of pediatric gastronomy tubes based on 14 years of experience. 2004;31:193-200
Crawley-Coha T. Cecostomy for antegrade continence enemas in children. 2004;31:23-31
Cullen B. The value of a WOCN. 2004;31:245-248 (Commentary)
Cummings GG, Mallidou AA, Scott-Findlay S. Does the workplace influence nurses' use of research? 2004;31:106-107 (Spotlight on Research)

de Gouveia Santos VLC (see Gonçalves et al). 2004;31:275-283
de Leon J (see Bolton et al). 2004;31:65-71
de Mattos Pimenta CA (see Gonçalves et al). 2004;31:275-283
Doughty D. Mycosis fungoides: a wound care challenge. 2004;31:95-98 (Commentary)
Doughty D. Structure and function of the gastrointestinal tract in infants and children. 2004;31:207-214

Edman K (see Bolton et al). 2004;31:65-71
Ehrenberg A (see Gunningberg and Ehrenberg). 2004;31:328-335
Ehrenberg A, Estabrooks CA. Why using research matters. 2004;31:62-64 (Spotlight on Research)
Ehrenberg A, Fraser KD, Gunningberg L. Can decision support improve nurses' use of knowledge? 2004;31:256-258 (Spotlight on Research)
Ellery C (see Sinclair et al). 2004;31:43-50 (Professional Practice)
Engberg S (see Gray et al). 2004;31:53-61 (Evidence-Based Report Card)
Erickson DV, Ray LD. Children with chronic continence problems: the challenges for families. 2004;31:215-222
Estabrooks CA (see Ehrenberg and Estabrooks). 2004;31:62-64 (Spotlight on Research)
Evans E (see Gray et al). 2004;31:53-61 (Evidence-Based Report Card)
Evans JHC (see Glazener et al). 2004;31:223-234

Fader M (see Clarke-O'Neill et al). 2004;31:32-42
Fader M (see Macaulay et al). 2004;31:235-244Brooks R (see Macaulay et al). 2004;31:235-244
Fader M (see Mccaulay et al). 2004;31:357-366
Ferguson L, Milner M, Snelgrove-Clark E. The role of intermediaries: getting evidence into practice. 2004;31:325-327 (Spotlight on Research)
Fernandez RS (see Griffiths et al). 2004;31:299-308
Fraser KD (see Ehrenberg et al). 2004;31:256-258 (Spotlight on Research)

Gallagher J (see Gray et al). 2004;31:53-61 (Evidence-Based Report Card)
Gallagher S. WOC nurses as advocates for patients who are morbidly obese: a case study promoting the use of bariatric beds. 2004;31:379-387 (Commentary)

Giesbrecht G (see Sinclair et al). 2004;31:43-50 (Professional Practice)
Glazener CMA, Evans JHC, Peto RE. Treating nocturnal enuresis in children: review of evidence. 2004;31:223-234
Golberg M (see Groeneveld et al). 2004;31:108-122
Goldberg M. Assessment and treatment of depression: a review in high-risk populations. 2004;31:259-274 (Commentary)
Gonçalves ML, de Gouveia Santos VLC, de Mattos Pimenta CA, Suzuki E, Komegae KM. Pain in chronic leg ulcers. 2004;31:275-283
Gray M, Beitz J, Colwell J, Bliss DZ, Engberg S, Evans E, Gallagher J, Moore KN, Pieper B. Evidence-based nursing practice II: advanced concepts for WOC nursing practice. 2004;31:53-61 (Evidence-Based Report Card)
Gray M, Cantanzaro J. What interventions are effective for managing peristomal pyoderma gangrenosum? 2004;31:249-255 (Evidence-Based Report Card)
Gray M, Peirce B. Is negative pressure wound therapy effective for the management of chronic wounds? 2004;31:101-105 (Evidence-Based Report Card)
Gray M, Wyman J. Is the Incontinence Impact Questionnaire short form (IIQ-7) a clinically useful tool for WOC nursing practice? 2004;31:317-324 (Evidence-Based Report Card)
Gray M. The value of a WOCN. 2004;31:245-248 (Commentary)
Gray M. What nursing interventions reduce the risk of symptomatic urinary tract infection in the patient with an indwelling catheter? 2004;31:3-13 (Evidence-Based Report Card)
Gray M. Which pressure ulcer risk scales are valid and reliable in a pediatric population? 2004;31:157-160 (Evidence-Based Report Card)
Griffiths RD, Fernandez RS, Murie P. Removal of short-term indwelling urethral catheters: the evidence. 2004;31:299-308
Groeneveld A, Anderson M, Allen S, Bressmer S, Golberg M, Magee B, Milner M, Young S. The prevalence of pressure in a teriary care pediatric and adult hospital. 2004;31:108-122
Gunningberg L (see Ehrenberg et al). 2004;31:256-258 (Spotlight on Research)
Gunningberg L, Ehrenberg A. Accuracy and quality in the nursing documentation of pressure ulcers: a comparison of record content and patient examination. 2004;31:328-335

Hegadoren KM. Assessment and treatment of depression: a review in high-risk populations. 2004;31:259-274 (Professional Practice)
Hobbs L. Mycosis fungoides: a wound care challenge. 2004;31:95-98
Hordienko G. Transformation: planning for growth and a solid future. 2004;31:52 (Guest Editorial)

Jefferson LS (see McCord et al). 2004;31:179-183
Jefferson LS (see McLane et al). 2004;31:168-178
Jinbo AK. The challenge of obtaining continence in a child with nerogenic bowel disorder. 2004;31:336-350

Kim E. Protection of child human subjects. 2004;31:161-167 (Spotlight on Research)
King M (see Nikoletti et al). 2004;31:138-149
Kobza L (see Bolton et al). 2004;31:65-71
Komegae KM (see Gonçalves et al). 2004;31:275-283
Kordasiewicz LM. Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair. 2004;31:150-153.
Kramer KL. WOC nurses as advocates for patients who are morbidly obese: a case study promoting the use of bariatic beds. 2004;31:379-387 (Challenges in Practice)
Lyder C (see Bolton et al). 2004;31:65-71

Macaulay M, Clarke-O'Neill S, Fader M, Pettersson L, Cottenden A. A pilot study to evaluate reusable absorbent body-worn products for adults with moderate/heavy urinary incontinence. 2004;31:357-366
Macaulay M, Pettersson L, Fader M, Brooks R, Cottenden A. A multicenter evaluation of absorbent products for children with incontinence and disabilities. 2004;31:235-244
Magee B (see Groeneveld et al). 2004;31:108-122
Mallidou AA (see Cummings et al). 2004;31:106-107 (Spotlight on Research)
McCain J (see McLane et al). 2004;31:168-178
McClees N, Mikolaj EL, Carlson SL, Pryor-McCann J. A pilot study assessing the effectiveness of a glycerin suppository in controlled colostomy emptying. 2004;31:123-129
McCord S (see Bookout et al). 2004;31:155-156 (Guest Editorial)
McCord S (see Bookout et al). 2004;31:184-192
McCord S (see McLane et al). 2004;31:168-178
McCord S, McElvain V, Sachdeva R, Schwartz P, Jefferson LS. Risk factors associated with pressure ulcers in the pediatric intensive care unit. 2004;31:179-183
McElvain V (see McCord et al). 2004;31:179-183
McKenna LS, McKenna PH. Modern management of nonneurologic pediatric incontinence. 2004;31:351-356
McKenna PH (see McKenna and McKenna). 2004;31:351-356
McLane K (see Bookout et al). 2004;31:155-156 (Guest Editorial)
McLane K (see Bookout et al). 2004;31:184-192
McLane KM, Bookout K, McCord S, McCain J, Jefferson LS. The 2003 national pediatric pressure ulcer and skin breakdown prevalence survey: a multisite study. 2004;31:168-178
McNees P (see Bolton et al). 2004;31:65-71
Mercy N, Brady-Fryer B. Bladder exstrophy: a challenge for nursing care. 2004;31:293-298
Metcalfe PD, Schwarz RD. Bladder exstrophy: neonatal care and surgical approaches. 2004;31:284-292
Mikolaj EL (see McClees et al). 2004;31:123-129
Milne JL. Behavioral therapies at the primary level: the current state of knowledge. 2004;31:367-378
Milner M (see Ferguson et al). 2004;31:325-327 (Spotlight on Research)
Milner M (see Groeneveld et al). 2004;31:108-122
Montagnino B (see Bookout et al). 2004;31:155-156 (Guest Editorial)
Moore KN (see Gray et al). 2004;31:53-61 (Evidence-Based Report Card)
Moore KN. The patient at the center of care. 2004:31:1-2 (Editorial)
Moore KN. The value of a WOCN. 2004;31:245-248 (Editorial)
Moore KN. Time for reviewing. 2004;31:99-100 (Editorial)
Murie P (see Griffiths et al). 2004;31:299-308

Nikoletti S, Young J, King M. Evaluation of an electronic monitoring device for urinary incontinence in elderly patients in an acute care setting. 2004;31:138-149
Norton C. Nurses, bowel continence, stigma, and taboos. 2004;31:85-94

Peirce B (see Gray and Peirce) 2004;31:101-105 (Evidence-Based Report Card)
Peto RE (see Glazener et al). 2004;31:223-234
Pettersson L (see Clarke-O'Neill et al). 2004;31:32-42
Pettersson L (see Macaulay et al). 2004;31:235-244
Pettersson L (see Mccaulay et al). 2004;31:357-366
Pieper B (see Gray et al). 2004;31:53-61 (Evidence-Based Report Card)
Pryor-McCann J (see McClees et al). 2004;31:123-129

Ray LD (see Erickson and Ray). 2004;31:215-222
Robertson DL. Antiphospholipid antibody thrombosis: another source of chronic wounds. 2004;31:18-22
Rogers VE. Similar gastronomy peristomal skin irritations in three pediatric patients. 2004;31:201-206 (Commentary)

Sachdeva R (see McCord et al). 2004;31:179-183
Scheurich A (see Bolton et al). 2004;31:65-71
Schultz RO. Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair. 2004;31:150-153. (Commentary)
Schwartz P (see McCord et al). 2004;31:179-183
Schwarz RD (see Metcalfe and Schwarz). 2004;31:284-292
Scott-Findlay S. (see Cummings et al). 2004;31:106-107 (Spotlight on Research)
Shannon R (see Bolton et al). 2004;31:65-71
Sinclair L, Berwiczonek H, Thurston N, Butler S, Bulloch G, Ellery C, Giesbrecht G. Evaluation of an evidence-based education program for pressure ulcer prevention. 2004;31:43-50 (Professional Practice)
Smith DB. Female pelvic floor health: a developmental review. 2004;31:130-137
Snelgrove-Clark E. 2004;31:325-327 (Spotlight on Research)
Stamm L, Tiemann D. Incontinent ileovesicostomy: a case study. 2004;31:309-311 (Challenges in Practice)
Suzuki E (see Gonçalves et al). 2004;31:275-283

Thurston N (see Sinclair et al). 2004;31:43-50 (Professional Practice)
Tiemann D (see Stamm and Tiemann). 2004;31:309-311 (Challenges in Practice)
Toth M (see Bolton et al). 2004;31:65-71

van Rijswijk L (see Bolton et al). 2004;31:65-71
Verrillo SC. Negative pressure therapy for infected sternal wounds: a literature review. 2004;31:72-74

Whitney JD. Reading and using systematic reviews. 2004;31:14-17 (Spotlight on Research)
Wound Outcomes Study Group (see Bolton et al). 2004;31:65-71
Wright K. THe future of healthcare: home is where the health is. 2004;31:315-316 (Guest Editorial)
Wright K. The value of a WOCN. 2004;31:245-248 (Commentary)
Wyman J (see Gray and Wyman). 2004;31:317-324 (Evidence-Based Report Card)

Young J (see Nikoletti et al). 2004;31:138-149
Young S (see Groeneveld et al). 2004;31:108-122

# 2004 Subject Index


**A**

**Abdominal wound**

Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair (Kordasiewicz), 2004;31:150

**Absorbent products**

A multicenter comparative evaluation: disposable pads for women with light incontinence (Clarke-O'Neill et al), 2004;31:32

A multicenter evaluation of absorbent products for children with incontinence and disabilities (Macaulay et al), 2004;31:235

A pilot study to evaluate reusable absorbent body-worn products for adults With moderate/heavy urinary incontinence (Macaulay et al), 2004;31:357

**Abstracts**

Scientific and Clinical Abstracts From the 36th Annual Wound, Ostomy and Continence Conference, 2004;31:S1–S32(May–June)

**Advocacy**

WOC nurses as advocates for morbidly obese patients: a case study promoting the use of bariatric beds (Kramer), 2004;31:379

**Antiphospholipid antibody syndrome**

Antiphospholipid antibody thrombosis: another source of chronic wounds (Robertson), 2004;31:18

**B**

**Bariatric beds**

WOC nurses as advocates for morbidly obese patients: a case study promoting the use of bariatric beds (Kramer), 2004;31:379

**Bedwetting**

Treating nocturnal enuresis in children: review of evidence (Glazener et al), 2004;31:223

**Behavioral therapy**

Behavioral therapies at the primary care level: the current state of knowledge (Milne), 2004;31:367

**C**

**Case study**

Case studies of an infant, a toddler, and an adolescent treated with a negative pressure wound treatment system (Bookout et al), 2004;31:184

Incontinent ileovesicostomy: a case study (Stamm and Tiemann), 2004;31:309

WOC nurses as advocates for morbidly obese patients: a case study promoting the use of bariatric beds (Kramer), 2004;31:379

**Catheterization**

Removal of short-term indwelling urethral catheters: the evidence (Griffiths et al), 2004;31:299

What nursing interventions reduce the risk of symptomatic urinary tract infection in the patient with an indwelling catheter (Gray), 2004;31:3

**Cecostomy**

Cecostomy for antegrade continence enemas in children (Crawley-Coha), 2004;31:23

**Challenges in Practice**

Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair (Kordasiewicz)), 2004;31:150

Incontinent ileovesicostomy: a case study (Stamm and Tiemann), 2004;31:309

**Clinical tools**

Evaluation of an electronic monitoring device for urinary incontinence in elderly patients in an acute care setting (Nikoletti et al), 2004;31:138

Is the Incontinence Impact Questionnaire Short Form (IIQ-7) a clinically useful tool for WOC nursing practice (Gray and Wyman), 2004;31:317

Which pressure ulcer risk scales are valid and reliable in a pediatric population?(Gray), 2004;31:157

**Colostomy**

A pilot study assessing the effectiveness of a glycerin suppository in controlled colostomy emptying (McClees et al), 2004;31:123

**Commentary**

Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair (Borkowski), 2004;31:150

Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair (Schultz), 2004;31:150

Assessment and treatment of depression: a review in high-risk populations (Goldberg), 2004;31:259

Mycosis fungoides: a wound care challenge (Doughty), 2004;31:95

Similar gastrostomy peristomal skin irritations in three pediatric patients (Rogers), 2004;31:201

WOC nurses as advocates for morbidly obese patients: a case study promoting the use of bariatric beds (Gallagher), 2004;31:379

**Computer technology**

Can decision support improve nurses' use of knowledge?(Ehrenberg et al), 2004;31:256

**Continuing education**

Assessment and treatment of depression: a review in high-risk populations (Hegadoren), 2004;31:259

Behavioral therapies at the primary care level: the current state of knowledge (Milne), 2004;31:367
Cecostomy for antegrade continence enemas in children (Crawley-Coha), 2004;31:23
Diverticulosis and diverticulitis: spectrum of a modern malady (Beitz), 2004;31:75
The prevalence of pressure ulcers in a tertiary care pediatric and adult hospital (Groenveld et al), 2004;31:108
Preventing and managing perineal dermatitis: a shared goal for wound and continence care (Gray), 2004;31:S2(Jan–Feb)
Structure and function of the gastrointestinal tract in infants and children (Doughty), 2004;31:207
**Correspondence.** ***See*** **Letter to the Editor**

**D**
**Decision support**
Can decision support improve nurses' use of knowledge?(Ehrenberg et al), 2004;31:256
**Decubitus ulcer.** ***See*** **Pressure ulcers**
**Depression**
Assessment and treatment of depression: a review in high-risk populations (Hegadoren), 2004;31:259
**Dermatitis**
Preventing and managing perineal dermatitis: a shared goal for wound and continence care (Gray), 2004;31:S2(Jan–Feb)
**Dermatosis**
What interventions are effective for managing peristomal pyoderma gangrenosum?(Gray and Catanzaro), 2004;31:249
**Diverticulitis**
Diverticulosis and diverticulitis: spectrum of a modern malady (Beitz), 2004;31:75
**Diverticulosis**
Diverticulosis and diverticulitis: spectrum of a modern malady (Beitz), 2004;31:75
**Documentation**
Accuracy and quality in the nursing documentation of pressure ulcers: a comparison of record content and patient examination (Gunningberg and Ehrenberg), 2004;31:328
**Drainage**
Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair (Kordasiewicz), 2004;31:150
Closed suction wound drainage system (Jeter) (Letter), 2004;31:51

**E**
**Editorial.** ***See also*** **Guest Editorial**
The patient at the center of care (Moore), 2004;31:1
A time for reviewing (Moore), 2004;31:99
The value of a WOCN (Moore), 2004;31:245
**Education.** ***See also*** **Continuing education**
Evaluation of an evidence-based education program for pressure ulcer prevention (Sinclair et al), 2004;31:43
**Ethical issues**
Protection of child human subjects (Kim), 2004;31:161
**Evidence-based practice**
Does the workplace influence nurses' use of research?(Cummings et al), 2004;31:106
The role of intermediaries: getting evidence into practice (Ferguson et al), 2004;31:325
**Evidence-Based Report Card**
Evidence-based nursing practice II: advanced concepts for WOC nursing practice (Gray et al), 2004;31:53
Is negative pressure wound therapy effective for the management of chronic wounds?(Gray), 2004;31:101
Is the Incontinence Impact Questionnaire Short Form (IIQ-7) a clinically useful tool for WOC nursing practice?(Gray and Wyman), 2004;31:317
What interventions are effective for managing peristomal pyoderma gangrenosum? (Gray and Catanzaro), 2004;31:249
What nursing interventions reduce the risk of symptomatic urinary tract infection in the patient with an indwelling catheter? (Gray), 2004;31:3
Which pressure ulcer risk scales are valid and reliable in a pediatric population?(Gray), 2004;31:157
**Exstrophy**
Bladder exstrophy: a challenge for nursing care (Mercy and Brady-Fryer), 2004;31:293
Bladder exstrophy: neonatal care and surgical approaches (Metcalfe and Schwarz), 2004;31:284

**F**
**Family issues**
Children with chronic continence problems: the challenges for families (Erickson and Ray), 2004;31:215
**Fecal incontinence**
Cecostomy for antegrade continence enemas in children (Crawley-Coha), 2004;31:23
The challenge of obtaining continence in a child with a neurogenic bowel disorder (Jinbo), 2004;31:336
Nurses, bowel continence, stigma, and taboos (Norton), 2004;31:85
Structure and function of the gastrointestinal tract in infants and children (Doughty), 2004;31:207
**Fistula**
Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair (Kordasiewicz), 2004;31:150

**G**
**Gastrointestinal tract**
Structure and function of the gastrointestinal tract in infants and children (Doughty), 2004;31:207
**Gastrostomy**
A practical guide for the management of pediatric gastrostomy tubes based on 14 years of experience (Crawley-Coha), 2004;31:193
Similar gastrostomy peristomal skin irritations in three pediatric patients (Borkowski), 2004;31:201
**Geriatric population**
Evaluation of an electronic monitoring device for urinary incontinence in elderly patients in an acute care setting (Nikoletti et al), 2004;31:138
**Glycerin suppository**
A pilot study assessing the effectiveness of a glycerin suppository in controlled colostomy emptying (McClees et al), 2004;31:123
**Guest Editorial.** ***See also*** **Editorial**
Can you believe it?(Bookout et al), 2004;31:155
The future of healthcare: home is where the health is (Wright), 2004;31:315
Transformation: planning for growth and a solid future (Hordienko), 2004;31:52

**H**
**Hernia repair**
Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair (Kordasiewicz), 2004;31:150
**Home Healthcare**
The future of healthcare: home is where the health is (Wright), 2004;31:315 (Guest Editorial)

**I**
**Ileovesicostomy**
Incontinent ileovesicostomy: a case study (Stamm and Tiemann), 2004;31:309
**Incontinence**
Behavioral therapies at the primary care level: the current state of knowledge (Milne), 2004;31:367
Cecostomy for antegrade continence enemas in children (Crawley-Coha), 2004;31:23
The challenge of obtaining continence in a child with a neurogenic bowel disorder (Jinbo), 2004;31:336
Children with chronic continence problems: the challenges for families (Erickson and Ray), 2004;31:215
Evaluation of an electronic monitoring device for urinary incontinence in elderly patients in an acute care setting (Nikoletti et al), 2004;31:138
Female pelvic floor health: a developmental review (Smith), 2004;31:130
Is the Incontinence Impact Questionnaire Short Form (IIQ-7) a clinically useful tool for WOC nursing practice? (Gray and Wyman), 2004;31:317
Modern management of nonneurologic pediatric incontinence (McKenna and McKenna), 2004;31:351
A multicenter comparative evaluation: disposable pads for women with light incontinence (Clarke-O'Neill et al), 2004;31:32
A multicenter evaluation of absorbent products for children with incontinence and disabilities (Macaulay et al), 2004;31:235
Nurses, bowel continence, stigma, and taboos (Norton), 2004;31:85
A pilot study to evaluate reusable absorbent body-worn products for adults with moderate/heavy urinary incontinence (Macaulay et al), 2004;31:357
Treating nocturnal enuresis in children: review of evidence (Glazener et al), 2004;31:223
**Incontinent ileovesicostomy**
Incontinent ileovesicostomy: a case study (Stamm and Tiemann), 2004;31:309
**Infection**
Negative pressure therapy for infected sternal wounds: a literature review (Verrillo), 2004;31:72
**Intermediaries**
The role of intermediaries: getting evidence into practice (Ferguson et al), 2004;31:325

**L**
**Legal issues**
Protection of child human subjects (Kim), 2004;31:161
**Leg ulcers**
Pain in chronic leg ulcers (Gonçalves et al), 2004;31:275
**Letter to the Editor**
Closed suction wound drainage system (Jeter), 2004;31:51

**M**
**Monitoring**
Evaluation of an electronic monitoring device for urinary incontinence in elderly patients in an acute care setting (Nikoletti et al), 2004;31:138
**Mycosis fungoides**
Mycosis fungoides: a wound care challenge (Hobbs), 2004;31:95

**N**
**Negative pressure therapy**
Case studies of an infant, a toddler, and an adolescent treated with a negative pressure wound treatment system (Bookout et al), 2004;31:184
Is negative pressure wound therapy effective for the management of chronic wounds? (Gray), 2004;31:101
Negative pressure therapy for infected sternal wounds: a literature review (Verrillo), 2004;31:72
**Neonate**
Bladder exstrophy: a challenge for nursing care (Mercy and Brady-Fryer), 2004;31:293
Bladder exstrophy: neonatal care and surgical approaches (Metcalfe and Schwarz), 2004;31:284
**Neurogenic bowel**
The challenge of obtaining continence in a child with a neurogenic bowel disorder (Jinbo), 2004;31:336
**Nursing practice.** ***See*** **Wound, ostomy, and continence (WOC) nursing**

**O**
**Obesity**
WOC nurses as advocates for morbidly obese patients: a case study promoting the use of bariatric beds (Kramer), 2004;31:379
**Options in Practice**
Mycosis fungoides: a wound care challenge (Hobbs), 2004;31:95
**Ostomy**
Cecostomy for antegrade continence enemas in children (Crawley-Coha), 2004;31:23
Incontinent ileovesicostomy: a case study (Stamm and Tiemann), 2004;31:309
A pilot study assessing the effectiveness of a glycerin suppository in controlled colostomy emptying (McClees et al), 2004;31:123
A practical guide for the management of pediatric gastrostomy tubes based on 14 years of experience (Crawley-Coha), 2004;31:193
Similar gastrostomy peristomal skin irritations in three pediatric patients (Borkowski), 2004;31:201
What interventions are effective for managing peristomal pyoderma gangrenosum? (Gray and Catanzaro), 2004;31:249
**Outcomes**
Wound-healing outcomes using standardized assessment and care in clinical practice (Bolton et al), 2004;31:65

**P**
**Pain**
Pain in chronic leg ulcers (Gonçalves et al), 2004;31:275
**Pediatric population**
Bladder exstrophy: a challenge for nursing care (Mercy and Brady-Fryer), 2004;31:293
Bladder exstrophy: neonatal care and surgical approaches (Metcalfe and Schwarz), 2004;31:284
Case studies of an infant, a toddler, and an adolescent treated with a negative pressure wound treatment system (Bookout et al), 2004;31:184
Cecostomy for antegrade continence enemas in children (Crawley-Coha), 2004;31:23
The challenge of obtaining continence in a child with a neurogenic bowel disorder (Jinbo), 2004;31:336
Children with chronic continence problems: the challenges for families (Erickson and Ray), 2004;31:215
Modern management of nonneurologic pediatric incontinence (McKenna and McKenna), 2004;31:351
A multicenter evaluation of absorbent products for children with incontinence and disabilities (Macaulay et al), 2004;31:235
The 2003 National Pediatric Pressure Ulcer and Skin Breakdown Prevalence Survey (McLane et al), 2004;31:168
A practical guide for the management of pediatric gastrostomy tubes based on 14 years of experience (Crawley-Coha), 2004;31:193

The prevalence of pressure ulcers in a tertiary care pediatric and adult hospital (Groenveld et al), 2004;31:108
Protection of child human subjects (Kim), 2004;31:161
Risk factors associated with pressure ulcers in the pediatric intensive care unit (McCord et al), 2004;31:179
Similar gastrostomy peristomal skin irritations in three pediatric patients (Borkowski), 2004;31:201
Structure and function of the gastrointestinal tract in infants and children (Doughty), 2004;31:207
Treating nocturnal enuresis in children: review of evidence (Glazener et al), 2004;31:223
Which pressure ulcer risk scales are valid and reliable in a pediatric population? (Gray), 2004;31:157
**Pelvic floor**
Female pelvic floor health: a developmental review (Smith), 2004;31:130
**Pilot study**
A pilot study assessing the effectiveness of a glycerin suppository in controlled colostomy emptying (McClees et al), 2004;31:123
A pilot study to evaluate reusable absorbent body-worn products for adults with moderate/heavy urinary incontinence (Macaulay et al), 2004;31:357
**Pressure ulcers**
Accuracy and quality in the nursing documentation of pressure ulcers: a comparison of record content and patient examination (Gunningberg and Ehrenberg), 2004;31:328
Evaluation of an evidence-based education program for pressure ulcer prevention (Sinclair et al), 2004;31:43
The 2003 National Pediatric Pressure Ulcer and Skin Breakdown Prevalence Survey (McLane et al), 2004;31:168
The prevalence of pressure ulcers in a tertiary care pediatric and adult hospital (Groenveld et al), 2004;31:108
Risk factors associated with pressure ulcers in the pediatric intensive care unit (McCord et al), 2004;31:179
Which pressure ulcer risk scales are valid and reliable in a pediatric population? (Gray), 2004;31:157
**Professional Practice**
Evaluation of an evidence-based education program for pressure ulcer prevention (Sinclair et al), 2004;31:43
**Pyoderma gangrenosum**
What interventions are effective for managing peristomal pyoderma gangrenosum? (Gray and Catanzaro), 2004;31:249

**R**
**Research. *See also* Spotlight on Research**
Reading and using systematic reviews (Whitney), 2004;31:14
The role of intermediaries: getting evidence into practice (Ferguson et al), 2004;31:325
**Risk assessment**
Assessment and treatment of depression: a review in high-risk populations (Hegadoren), 2004;31:259
Which pressure ulcer risk scales are valid and reliable in a pediatric population? (Gray), 2004;31:157
**Risk factors**
Risk factors associated with pressure ulcers in the pediatric intensive care unit (McCord et al), 2004;31:179

**S**
**Skin breakdown**
The 2003 National Pediatric Pressure Ulcer and Skin Breakdown Prevalence Survey (McLane et al), 2004;31:168
**Skin irritation**
Similar gastrostomy peristomal skin irritations in three pediatric patients (Borkowski), 2004;31:201
**Spotlight on Research**
Can decision support improve nurses' use of knowledge? (Ehrenberg et al), 2004;31:256
Does the workplace influence nurses' use of research? (Cummings et al), 2004;31:106
Protection of child human subjects (Kim), 2004;31:161
Reading and using systematic reviews (Whitney), 2004;31:14
The role of intermediaries: getting evidence into practice (Ferguson et al), 2004;31:325
Why using research matters (Ehrenberg and Estabrooks), 2004;31:62
**Sternal wounds**
Negative pressure therapy for infected sternal wounds: a literature review (Verrillo), 2004;31:72
**Survey**
The 2003 National Pediatric Pressure Ulcer and Skin Breakdown Prevalence Survey (McLane et al), 2004;31:168
**Systematic reviews**
Reading and using systematic reviews (Whitney), 2004;31:14

**T**
**Thrombosis**
Antiphospholipid antibody thrombosis: another source of chronic wounds (Robertson), 2004;31:18

**U**
**Ulcers**
Pain in chronic leg ulcers (Gonçalves et al), 2004;31:275
**Urethral catheter**
Removal of short-term indwelling urethral catheters: the evidence (Griffiths et al), 2004;31:299
**Urinary bladder**
Bladder exstrophy: a challenge for nursing care (Mercy and Brady-Fryer), 2004;31:293
Bladder exstrophy: neonatal care and surgical approaches (Metcalfe and Schwarz), 2004;31:284
**Urinary incontinence**
Behavioral therapies at the primary care level: the current state of knowledge (Milne), 2004;31:367
Bladder exstrophy: a challenge for nursing care (Mercy and Brady-Fryer), 2004;31:293
Bladder exstrophy: neonatal care and surgical approaches (Metcalfe and Schwarz), 2004;31:284
Evaluation of an electronic monitoring device for urinary incontinence in elderly patients in an acute care setting (Nikoletti et al), 2004;31:138
Modern management of nonneurologic pediatric incontinence (McKenna and McKenna), 2004;31:351
A multicenter comparative evaluation: disposable pads for women with light incontinence (Clarke-O'Neill et al), 2004;31:32
A multicenter evaluation of absorbent products for children with incontinence and disabilities (Macaulay et al), 2004;31:235
A pilot study to evaluate reusable absorbent body-worn products for adults with moderate/heavy urinary incontinence (Macaulay et al), 2004;31:357
Treating nocturnal enuresis in children: review of evidence (Glazener et al), 2004;31:223
**Urinary tract infection**
What nursing interventions reduce the risk of symptomatic urinary tract infection in the patient with an indwelling catheter (Gray), 2004;31:3

**W**
**Women's health**
Female pelvic floor health: a developmental review (Smith), 2004;31:130
**Wound, Ostomy and Continence Nurses Society**
Manuscript Award Winners: 2003, 2004;31:312

**Wound, ostomy, and continence (WOC) nursing**
Accuracy and quality in nursing documentation of pressure ulcers: comparison of record content and patient examination (Gunningberg and Ehrenberg), 2004;31:328
Bladder exstrophy: a challenge for nursing care (Mercy and Brady-Fryer), 2004;31:293
Case studies of an infant, a toddler, and an adolescent treated with a negative pressure wound treatment system (Bookout et al), 2004;31:184
Cecostomy for antegrade continence enemas in children (Crawley-Coha), 2004;31:23
Diverticulosis and diverticulitis: spectrum of a modern malady (Beitz), 2004;31:75
Evidence-based nursing practice II: advanced concepts for WOC nursing practice (Gray et al), 2004;31:53
Incontinent ileovesicostomy: a case study (Stamm and Tiemann), 2004;31:309
Is negative pressure wound therapy effective for the management of chronic wounds (Gray), 2004;31:101
Is the Incontinence Impact Questionnaire Short Form (IIQ-7) a clinically useful tool for WOC nursing practice (Gray and Wyman), 2004;31:317
Mycosis fungoides: a wound care challenge (Hobbs), 2004;31:95
Negative pressure therapy for infected sternal wounds: a literature review (Verrillo), 2004;31:72
Nurses, bowel continence, stigma, and taboos (Norton), 2004;31:85
A practical guide for the management of pediatric gastrostomy tubes based on 14 years of experience (Crawley-Coha), 2004;31:193
Preventing and managing perineal dermatitis: a shared goal for wound and continence care (Gray), 2004;31:S2(Jan–Feb)
Similar gastrostomy peristomal skin irritations in three pediatric patients (Borkowski), 2004;31:201
The value of a WOCN (Moore), 2004;31:245 (Editorial)
What nursing interventions reduce the risk of symptomatic urinary tract infection in the patient with an indwelling catheter? (Gray), 2004;31:3
Why using research matters (Ehrenberg and Estabrooks), 2004;31:62
WOC nurses as advocates for morbidly obese patients: a case study promoting the use of bariatric beds (Kramer), 2004;31:379
Wound-healing outcomes using standardized assessment and care in clinical practice (Bolton et al), 2004;31:65

**Wounds and injuries**
Abdominal wound with a fistula and large amount of drainage status after incarcerated hernia repair (Kordasiewicz), 2004;31:150
Accuracy and quality in the nursing documentation of pressure ulcers: a comparison of record content and patient examination (Gunningberg and Ehrenberg), 2004;31:328
Antiphospholipid antibody thrombosis: another source of chronic wounds (Robertson), 2004;31:18
Case studies of an infant, a toddler, and an adolescent treated with a negative pressure wound treatment system (Bookout et al), 2004;31:184
Closed suction wound drainage system (Jeter) (Letter), 2004;31:51
Is negative pressure wound therapy effective for the management of chronic wounds? (Gray), 2004;31:101
Mycosis fungoides: a wound care challenge (Hobbs), 2004;31:95
The 2003 National Pediatric Pressure Ulcer and Skin Breakdown Prevalence Survey (McLane et al), 2004;31:168
Negative pressure therapy for infected sternal wounds: a literature review (Verrillo), 2004;31:72
Pain in chronic leg ulcers (Gonçalves et al), 2004;31:275
Risk factors associated with pressure ulcers in the pediatric intensive care unit (McCord et al), 2004;31:179
Wound-healing outcomes using standardized assessment and care in clinical practice (Bolton et al), 2004;31:65

STATEMENT OF OWNERSHIP, MANAGEMENT, AND CIRCULATION (Act of August 12, 1970; Section 3685; Title 39 United States Code) Date of Filing—October 1, 2004. Title of Publication—*Journal of Wound, Ostomy and Continence Nursing*; Frequency of Issue—Bimonthly; Annual Subscription Price—$71.00; Location of Known Office of Publication—Lippincott Williams & Wilkins, Inc., 16522 Hunters Green Parkway, Hagerstown, MD 21740-2116; Location of the Headquarters or General Business Offices of the Publisher—Lippincott Williams & Wilkins, Inc., 530 Walnut Street, Philadelphia, PA 19106; Publisher—Lippincott Williams & Wilkins, Inc., 530 Walnut Street, Philadelphia, PA 19106; Editor—Katherine Moore, PhD, RN, 3rd Fl Clinical Sciences Bldg, Univ of Alberta, Edmonton, Alberta, Canada T6G 2G3. Managing Editor—Cynthia Wells, Lippincott Williams & Wilkins, Inc., 530 Walnut Street, Philadelphia, PA 19106; Owner—Wound, Ostomy and Continence Nurses Society, 4700 West Lake Avenue, Glenview, IL 60025; A. Total no. of copies printed (net press run), average 7,269, actual 6,500. B. Paid and/or requested circulation 1. Paid/requested outside-county mail subscriptions stated on form 3541, average 4,516, actual 4,006; 2. Paid in-county subscriptions, none; 3. Sales through dealers and carriers, street vendors, counter sales, and other non-USPS paid distribution, average 219, actual 220; 4. Other classes mailed through the USPS, none. C. Total paid and/or requested circulation [sum of B (1), (2), (3), and (4)], average 4,735, actual 4,226. D. Free distribution by mail (samples, complimentary, and other free). Outside-county as stated on form 3541, average 389, actual 528; 2. In-county as stated on form 3541, none; 3. Other classes mailed through the USPS, none. E. Free distribution outside the mail (carriers or other means), average 14, actual 46. F. Total free distribution (sum of D and E), average 403, actual 574. G. Total distribution (sum of C and F), average 5,138, actual 4,800. H. Copies not distributed, average 2,131, actual 1,700. I. Total (sum of G and H), average 7,269, actual 6,500. Percent paid and/or requested circulation, average 92.16%, actual 88.04%. I certify that the statements made by me above are correct and complete. *Jeffrey Brown, Manager, Periodicals Operations.*